

# Alfa Laval TS6

# Gasketed plate heat exchanger for a wide range of applications

#### Introduction

Alfa Laval Industrial line is a wide product range that is used in virtually all types of industry.

The relatively short plate makes this model suitable for duties with short temperature programs and when a low pressure drop is appreciated. A large range of plate and gasket types is available.

# **Applications**

- · Biotech and Pharmaceutical
- Chemicals
- Energy and Utilities
- Food, Dairy and Beverages
- Home and Personal care
- HVAC and Refrigeration
- · Machinery and Manufacturing
- Marine and Transportation
- Mining, Minerals and Pigments
- Pulp and Paper
- Semiconductor and Electronics
- Steel
- Water and Waste treatment

## **Benefits**

- High energy efficiency low operating cost
- Flexible configuration heat transfer area can be modified
- Easy to install compact design
- High serviceability easy to open for inspection and cleaning and easy to clean by CIP
- Access to Alfa Laval's global service network

#### **Features**

Every detail is carefully designed to ensure optimal performance, maximum uptime and easy maintenance. Selection of available features, depending on configuration some features may not be applicable:

- Corner guided alignment system
- Chocolate pattern distribution area
- Clip-on gasket
- · Leak chamber
- Fixed bolt head
- Key hole bolt opening
- Lifting lug
- Lining



- Lock washer
- Tightening bolt cover

# Alfa Laval 360° Service Portfolio

Our extensive service offering ensure top performance from your Alfa Laval equipment throughout its life cycle. The Alfa Laval 360 Service Portfolio include installation services, cleaning and repair as well as spare parts, technical documentation and trouble shooting. We also offer replacement, retrofit, integrity testing, monitoring and much more.


For information about our complete service offering and how to contact us - please visit www.alfalaval.com/service.


### General remarks for technical information

- The global offering presented in this leaflet may not be available for all regions
- All combinations may not be configurable

# **Dimensional drawing**

Measurements mm (inches)





Frame type	Н	W	h
FG	704 (27.7")	400 (15.7")	188 (7.4")
FD	704 (27.7")	410 (16.1")	188 (7.4")

### Technical data

Plates Type		Free channel, mm (inches)	
М	Single plate	4.0 (0.16)	
Materials			
Heat transfer plates		316/316L	
		Ti	
Field gaskets		NBR, EPDM, FKM, HeatSeal	
Flange connections		Carbon steel	
		Metal lined: stainless steel, titanium	
Frame and pressure plate		Carbon steel, epoxy painted	

Other materials may be available on request.

# Operational data

Max. design pressure barg (psig)	Max. design temperature °C (°F)
16.0 (232)	180 (356)
14.3 (207)	250 (482)
16.0 (232)	180 (356)
24.5 (355)	200 (392)
20.7 (300)	250 (482)
25.0 (362)	180 (356)
	(psig) 16.0 (232) 14.3 (207) 16.0 (232) 24.5 (355) 20.7 (300)

Extended pressure and temperature rating may be available on request.

### Flange connections

Frame type	Connection standard	
	EN 1092-1 DN65 PN16	
FG, pvcALS	JIS B2220 10K 65A	
	JIS B2220 16K 65A	
FG, Marine <sup>1</sup>		
FG, ASME	ASME B16.5 Class 150 NPS 3	
EC DED	EN 1092-1 DN65 PN16	
FG, PED	ASME B16.5 Class 150 NPS 3	
	EN 1092-1 DN65 PN25	
FD, pvcALS	JIS B2220 10K 65A	
	JIS B2220 20K 65A	
FD, ASME	ASME B16.5 Class 300 NPS 3	
FDc, ASME		
ED DED	EN 1092-1 DN65 PN25	
FD, PED	ASME B16.5 Class 300 NPS 3	

<sup>&</sup>lt;sup>1</sup> Marine includes the standards: ABS, BV, CCS, DNV, ClassNK, KR, LR, RINA, and RMRS.

Standard EN1092-1 corresponds to GOST 12815-80 and GB/T9124.1.

This document and its contents are subject to copyrights and other intellectual property rights owned by Alfa Laval AB (publ) or any of its affiliates (jointly "Alfa Laval"). No part of this document may be copied, re-produced or transmitted in any form or by any means, or for any purpose, without Alfa Laval's prior express written permission. Information and services provided in this document are made as a benefit and service to the user, and no representations or warranties are made about the accuracy or suitability of this information and these services for any purpose. All rights are reserved.

CHE00087-6-EN-GB © Alfa Laval AB



inf@ D/CESEHSA.com.mx

