

DESTACO Custom Catalog

12/07/2020



CESEHSA

México info@cesehsa.com.mx cesehsa.com.mx



DESTACO Custom Catalog

12/07/2020

This catalog is a custom document and the products included is based on your unique selection from portions of complete catalogs that already exist. Please refer to our full catalogs for more information on products not included in this customized document.

Table of Contents

Product Overview GR-PRO-1



DESTACO Custom Catalog

Table of Contents (continued)



GRIPPERS/SLIDES/ROTARIES

Table of Contents

Modular Mounting Solutions/DirectConnect™ North American Xpress Program European Xpress Program	GR-PRO-2 GR-PRO-3 GR-PRO-8 GR-PRO-9 GR-TCH-1
OEM Machine BuilderGR-OEM	Angular GrippersGR-ANG
Electric Grippers GR-EPG	Specialty Grippers GR-SPC
Precision Grippers GR-PRC	Rotary Actuators GR-ROT
General Industrial Grippers GR-GEN	Linear Slides GR-LIN
Heavy Duty GrippersGR-HDP	Feed Escapements GR-ESC
3-Jaw Parallel Grippers GR-3JP	Robotic Tooling Solutions (See TC-Automatic Tool Changers Catalog)



CLEAN ROOM RATED SOLUTIONS

Grippers/Slides/Rotaries | Product Overview

Destaco's Clean Room Rated Solutions are geared toward laboratory, semiconductor, medical, and food handling type environments. Many of our pneumatic products include a scavenge or purge port. These extra ports create internal vacuum or pressure to control contaminants escaping into the environment or prevent de-greaser or other chemicals penetrating our product.

Solutions include:

- Diverse line-up of products for class 10/100 cleanroom environments
- Manufactured with corrosion-resistant materials for use with de-ionized water
- Customized solutions available with food and medical grade lubricants, stainless steel, and nickel-plated materials to meet your application requirements.

	Electric Parallel Grippers					
Rating	RPE-100	DPE-200	DPE-400			
ISO 4 (Class 10)	® Ø					
ISO 5 (Class100)	•		•			
ISO 6 (Class1,000)	•	•	•			
ISO 7 (Class10,000)	•	•	•			
ISO 8 (Class100,000)	•	•	•			

	Pneumatic 2-Jaw and 3-Jaw Grippers								
Rating	RPMC	RPLC	DPDS	DPDL	DPG	DPP	RDH	RTH	DCT
ISO 4 (Class 10)	6	©	®Ø						
ISO 5 (Class100)	6	6	6	6	•		6	6	•
ISO 6 (Class1,000)	6	©	•	•	•		•	•	•
ISO 7 (Class10,000)	•	•	•	•	•	•	•	•	•
ISO 8 (Class100,000)	•	•	•	•	•	•	•	•	•

	Rotary Actuators					
Rating	DRG	DRF	RR			
ISO 4 (Class 10)						
ISO 5 (Class 100)	•	•				
ISO 6 (Class1,000)	•	•				
ISO 7 (Class10,000)	•	•				
ISO 8 (Class100,000)	•	•	•			

		Linear Slide	s
Rating	DLB	DLT	DLM
ISO 4 (Class 10)			
ISO 5 (Class100)			
ISO 6 (Class1,000)	•	•	•
ISO 7 (Class10,000)	•	•	•
ISO 8 (Class100,000)	•	•	•

•	Standard Clean Room
Ø	With use of Scavenge Port

Note: All products tested using Krytox™
Grease. Please contact factory for individual test results and additional clean room requirements.



MODULAR MOUNTING SOLUTIONS

Grippers/Slides/Rotaries | Product Overview

Destaco's modular automation systems feature DIRECTCONNECT™ technology, allowing all components of the system-base slides, block thrusters, thruster slides, grippers, and mounting stanchions—to be mounted together quickly and easily without any adapter plates.

- Reduces engineering design
- Saves \$\$\$ with modular solutions
- Change device orientations quickly
- Eliminates Adapter Plates



Modular DIRECTCONNECT Mounting Style Examples:

Look for more examples of each main section of the catalog. This is a sample of configurations we offer. Custom solutions also available.

Grip & Rotate



DRF Rotary Actuator to DPDL Parallel Gripper

Pick & Rotate




DRF Rotary Actuator to DPP Parallel Gripper

Place & Rotate




DLB Base Slide to **DRF Rotary Actuator**

Place & Rotate




DLM Linear Slide to **DRG Rotary Actuator**

Rotate & Place




DRF Rotary Actuator to DLT Linear Slide

Pick & Place




DLT Base Slide to **DPP Parallel Gripper**

Place & Place




DLB Base Slide to **DLT Linear Slide**

Place & Place




DLB Base Slide to **DLT Linear Slide**

Connect Different Sizes & Styles



Configure in Multiple Orientations



Look for the DIRECTCONNECT Logo

Product Series beginning with the letter D have a DIRECTCONNECT option, with a few exceptions.

DIRECTONNECT




HOW TO MAKE A DIRECTCONNECT™ MOUNT

Grippers/Slides/Rotaries | Product Overview

The DIRECTCONNECT Modular Compatibility Chart (on the next page) shows all the products that can easily connect together without adapter plates. Simply locate your first product along the horizontal axis of the top of chart, then locate the second product along the vertical axis on the left side of the chart. If a connection can be made, a mounting pattern will be shown.


DIRECTCONNECT Modular Compatibility Example:

Shown below, a DLB-10,12,16 Base Slide connecting to a DLT-10,12,16 Linear Thruster. Units may connect on different faces of the unit. Please refer to individual datasheets for DIRECTCONNECT mounting surfaces.



DirectConnect Mounting Surface Example:

Locate matching DIRECTCONNECT mounting pattern icons on the products dimensional drawings to determine what surface faces can be connected to. Corresponding mates equal a DIRECTCONNECT connection.





DIRECTCONNECT™ MODULAR COMPATIBILITY CHART

Grippers/Slides/Rotaries | Product Overview

Destaco's modular automation systems feature DirectConnect™ technology, allowing all components of the system-base slides, block thrusters, thruster slides, grippers, and rotaries to be mounted together quickly & easily without any adapter plates. Look for matching icons on product datasheets for mounting compatibility.

Simply locate your first product along the horizontal axis of the top of chart, then locate the second product along the vertical axis on the left side of the chart. If a connection can be made, a mounting pattern will be shown.

Note: The numbers in the cell represent the metric screw size and basic mounting pattern. S=Square, R=Rectangle. ie; 5S = M5 Screw with square mounting pattern.





M5 (S)quare M5 (R)ectangle


		Base Slides			
Catalog	Models	DLB-06&08	DLB- 10,12&16	DLB-20&25	
	DLB-06 & 08				
Base Slides	DLB-10, 12 & 16				
	DLB-20 & 25				
	DLT-06 & 08	3R,3S	3\$		
	DLT-10, 12 & 16		5R,5S	5\$	
Thruster Slides	DLT-20 & 25			10R,10S	
	DLM-07	3R,3S	3\$		
	DLM-9 & 12		5R,5S	5 S	
	DRF-075 & 094		5R		
	DRF-106		5R	10R	
Determy Actuators	DRF-131		5R	10R	
Rotary Actuators	DRG-074 & 094		5R		
	DRG-106		5R	10R	
	DRG-131		5R	10R	
	DGC		5R		
	DPG		5R		
	DCT-12, 16 & 25	3R			
	DCT-25		5R		
	DPDL-047 & 056	3R			
	DPDL-088 & 125		5R		
	DPDL-175 & 250			10R	
	DPDS-047 & 056	3R			
	DPDS-088 & 125		5R		
	DPDS-175 & 250			10R	
Grippers	DPL-25xx		5R		
	DPL-32xx & 40xx			10R	
	DPP-10 &14	3R			
	DPP-20		5R		
	DPP-28		5R	1 O R	
	DPW-250	3R			
	DPW-375 & 500		5R		
	G110-08 & 011	3R			
	G110-18 & 25		5R		
	DPE-200		5R		
	DPE-400			10R	

DIRECTCONNECT™ MODULAR COMPATIBILITY CHART

Grippers/Slides/Rotaries | Product Overview

Thruster Slides			Rotary Actuators				
DLT-06&08	DLT- 10,12&16	DLT-20&25	DLM-07	DLM-09&12	DRF- 075&094	DRF-106	DRF-131
3R,3S			3R,3S				
3\$	5R,5S		3\$	5R,5S	5R	5R	5R
	5 \$	10R,10S		5\$		10R	10R
3R	3R		3R	3R	3R,3S	3R,3S	
	5R	5R		5R	5R,5S	5R,5S	5R,5S
		10R					10R,10S
3R	3R		3R	3R	3R,3S	3R,3S	
	5R	5R		5R	5R,5S	5R,5S	5R,5S
	5R	5R		5R	5R	5R	5R
	5R	10R		5R	5R	5R	1 O R
	5R	10R		5R	5R	5R	10R
	5R	5R		5R	5R	5R	5R
	5R	10R		5R	5R	5R	1 O R
	5R	10R		5R	5R	5R	10R
	5R	5R		5R	5R	5R	5R
	5R	5R		5R	5R	5R	5R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
		10R					10R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
		10R					10R
	5R	5R		5R	5R	5R	5R
		10R					10R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
İ	5R	10R		5R	5R	5R	10R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
j	5R	5R		5R	5R	5R	5R
j		10R					10R

NOTES





NORTH AMERICAN XPRESS PROGRAM

A Full Line of Automation Products to Meet Your Application Needs Quickly



Product listed b	elow are for North American Market only.	SIZE	STROKE [mm]	FORCE [N]
	RP Series Rugged Impact Resistant Gripper	5, 10, 11, 12, 15	4.0-12.7	156-311
	RPL/RPLC Series Zero Side Play, High Repeatability Gripper	1, 2, 3, 4 (C)=Clean Room Version	6.4-25.4	116-160
	RPM/RPMC Series Low Friction Micro Gripper	1, 2, 3, (C)=Clean Room Version	4.1-6.3	36
	DPG Series Modular Multi-Part Sensing Gripper	10M-2	12.7	222
0.00	DPW Series Wide Parts/ Long Finger Gripper	250, 375, 500	19.05-63.5	222-800
	RPW Series Wide Parts/ Long Finger Gripper	625	50.8-88.9	1068
Angular Grip	pers	3 C SIZE	ANGLE	FORCE [N]
	RA Series Low Cost Small Size Angular Gripper	RA-5	15° (per finger)	89
Rotary Actual	tors	SIZE	ANGLE	PAYLOAD [Kg]
	RR Series High Torque Compact Rotary Actuators	18, 28, 36	0-180°	0.45-3.6

To choose the best and most cost-effective automation solution for your application please contact your Destaco sales representative or Destaco customer service.



EUROPEAN XPRESS PROGRAM

A Full Line of Automation Products to Meet Your Application Needs Quickly



Product listed below are for European Market only.		1	\longleftrightarrow	→
Parallel Grip	pers	SIZE	STROKE [mm]	FORCE [N]
	RTH Series 3 Jaw Centering Gripper	1, 2, 3, 4, 5, 6	4-70	445-44353
	RP Series Rugged Impact Resistant Gripper	5, 10, 11, 12, 15	4.0-12.7	156-311
	RPL/RPLC Series Zero Side Play, High Repeatability Gripper	RPL: 1, 2, 3, 4 RPLC: 1, 3 (C)=Clean Room	6.4-25.4	116-160
	RPM Series Low Friction Micro Gripper	1, 3	4.1-6.3	36
,,	DGC Series Precision Spring Gripper	25, 45, 65	20-40	432-11475
	RDH Series Shielded Gripper	1, 2, 3, 4, 5, 6 with Options -C, -L	4-70	361-28002
5,000	DPW Series Wide Parts/ Long Finger Gripper	250, 375, 500	19.05-63.5	222-800
	HEAVY DUTY Wide Parts/ Long Finger Gripper	625, 750	19.1-114.3	222-2091

To choose the best and most cost-effective automation solution for your application please contact your Destaco sales representative or Destaco customer service.



EUROPEAN XPRESS PROGRAM

A Full Line of Automation Products to Meet Your Application Needs Quickly



Product listed b	elow are for European Market only.	3 1 SIZE	ANGLE	PAYLOAD [Kg]
Az.	RR Series High Torque Compact Rotary Actuators	18, 28	0-180°	0.45-1.3
194	RR Series HEAVY DUTY High Torque Compact Rotary Actuators		0-180°	3.6-91
Tool Change	rs	E 1 SIZE	• • • PORTS	PAYLOAD [Kg]
	HEAVY ROBOT Side	200, 400, 800, 1200	19 pin Electrical and	90-550
C	HEAVY RTP Series Tool Side	Options E19, G19	6 Pneumatic Ports	70-330
	QC Series Robot Side	30, 60, 150	12-15 pin Electrical and	20.150
	TP Series Tool Side	Options E12, E15	4 Pneumatic Ports	30-150

To choose the best and most cost-effective automation solution for your application please contact your Destaco sales representative or Destaco customer service.







GLOBAL LOCATIONS

NORTH AMERICA

Corporate Headquarters

Auburn Hills, Michigan Toll Free: 1.888.DESTACO

Marketing: marketing@destaco.com

Global Technology Center

Auburn Hills, Michigan Tel: 1.248.836.6700

Customer Service: customerservice@destaco.com

Mt. Juliet, Tennessee Tel: 1.888.DESTACO

Customer Service: customerservice@destaco.com

Wheeling, Illinois Tel: 1.800.645.5207

Customer Service: camco@destaco.com

Red Wing, Minnesota (Central Research Laboratories)

Tel: 651.385.2142

Customer Service: sales@centres.com

ASIA

Thailand

Tel: +66-2-326-0812

Customer Service: info@destaco.com

Tel: +86-21-6081-2888

Customer Service: china@destaco.com

Tel: +91-80-41123421-426

Customer Service: india@destaco.com

EUROPE

Tel: +49-6171-705-0

Customer Service: europe@destaco.com

Tel: +33-4-73545001

Customer Service: france@destaco.com

Great Britain

Tel: +44-1902-797980

Customer Service: uk@destaco.com

Spain

Tel: +34-936361680

Customer Service: spain@destaco.com

Netherlands

Tel: +31-297285332

Customer Service: benelux@destaco.com







